

HIKVISION

First Choice for Security Professionals

Dome IP Camera (Fixed and Varifocal)

			
Model	DS-2CD1143G0-I	HWI-D140H	DS-2CD2141G1-IDW
Resolution	4MP	4MP	4MP
Lens	2.8 mm fixed	4 mm fixed	2.8 mm Fixed
Thoroughness	IP67, IK10	IP67, IK10	IP66
IR Range	up to 30 m	up to 30 m	up to 30 m
More	-	-	

		
Model	DS-2CD2163G0-I	DS-2CD2183G0-I
Resolution	6M	8M
Lens	2.8 mm Fixed	2.8 mm Fixed
Thoroughness	IP67, IK10	IP67, IK10
IR Range	up to 30 m	up to 30 m

Image			
Model	DS-2CD2347G1-L	DS-2CD2347G1-LU	
Resolution	4M	4M	
Lens	4 mm Fixed	2.8 mm Fixed	
Thoroughness	IP66	IP66	
White Light Range	up to 30 m	up to 30 m	
More	-	MIC	

			
Model	HWI-D640H-Z	DS-2CD2763G0-IZS	DS-2CD2783G1-IZS
Resolution	4MP	6MP	8MP
Lens	2.8 mm to 12mm	2.8 mm to 12mm	2.8 mm to 12mm
Thoroughness	IP67	IP66, IK10	IP67, IK10
IR Range	Up to 30m	Up to 30m	Up to 30m

IP Bullet Camera (Fixed and Varifocal)

Image			
Model	DS-2CD1043G0-I	HWI-B140H	DS-2CV2041G2-IDW
Resolution	4MP	4MP	4MP
Lens	2.8 mm or 4mm Fixed	2.8 mm or 4mm Fixed	2.8 mm Fixed
Thoroughness	IP67	IP67	IP66
IR Range	up to 30 m	up to 30 m	up to 30 m
More	-	-	  

Image			
Model	DS-2CD2T47G1-L	DS-2CD2T43G0-I5	DS-2CD2T63G0-I5
Resolution	4MP	4mp	6mp
Lens	4 mm fixed	4 mm fixed	2.8mm , 4 mm fixed
Thoroughness	IP67	IP67	IP67
IR Range or White Light Range	up to 30 m	up to 50 m	up to 50 m
More			

Image		
Model	DS-2CD2T83G0-I5	HWI-B640H-Z
Resolution	8mp	4MP
Lens	2.8mm , 4 mm fixed	2.8 mm or 4mm Fixed
Thoroughness	IP67, IK10	IP67
IR Range	up to 50 m	up to 30 m

Bracket, Junction Box for bullet cameras Hikvision

Image			
Model	DS-1280ZJ-XS	DS-1280ZJ-S	DS-1280ZJ-M

NVR's

Image		
Model	DS-7608NI-K1	DS-7608NI-K1/8P
Resolution	Up to 8MP	Up to 8MP
channel	8-ch video	8-ch video , POE Interface
General Information	80mbps bandwidth, 1 SATA, 6TB	80mbps bandwidth, 1 SATA, 6TB

Image		
Model	DS-7632NI-K2	DS-7732NI-K4
Resolution	Up to 8MP	8 Mbps
channel	32-ch video	32-ch Video
General Information	2 SATA, 6TB for each HDD	4 SATA, 6TB for each HDD